

## Sectioning commands with critical notes in parallel columns

This file provides examples of using sectioning commands with `reledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add  $\LaTeX$  marks for headers.

We use the `\reledxxx` commands, each of them in their own `\pstart . . . \pend` group. Page clearings are manually added before chapter with `\beforeeledchapter`.



# Contents

- 1 Right chapter** **5**
- 1.1 Right section . . . . . 5
- 1.1.1 Right subsection . . . . . 5
- 1.2 Right section . . . . . 5
  
- 2 Right chapter** **7**
- 2.1 Right section . . . . . 7
- 2.1.1 Right subsection . . . . . 7
- 2.2 Right section . . . . . 7



# Chapter 1

## 1 Left chapter

2 I use git to manage some packages.  
 3 I would like to add a pre-commit hook,  
 4 to check if I have forgotten For now,  
 5 I have a minimal pre-commit, which  
 6 tests only the blank spaces at ends of  
 7 lines, but not the forgotten..

### 1.1 Left section

#### 1.1.1 Left subsection

##### Left subsubsection

11 I use git to manage some packages.  
 12 I would like to add a pre-commit hook,  
 13 to check if I have forgotten For now,  
 14 I have a minimal pre-commit, which  
 15 tests only the blank spaces at ends of  
 16 lines, but not the forgotten.

### 1.2 Left section

# Chapter 1

## Right chapter 1R

2R I use git to manage some packages.  
 3R I would like to add a pre-commit hook,  
 4R to check if I have forgotten For now,  
 5R I have a minimal pre-commit, which  
 6R tests only the blank spaces at ends of  
 7R lines, but not the forgotten..

### 1.1 Right section 8R

#### 1.1.1 Right subsection 9R

##### Right subsubsection 10R

11R I use git to manage some packages.  
 12R I would like to add a pre-commit hook,  
 13R to check if I have forgotten For now,  
 14R I have a minimal pre-commit, which  
 15R tests only the blank spaces at ends of  
 16R lines, but not the forgotten.

### 1.2 Right section 17R

---

1 chapter ] chapitre  
 1 chapter ] chapitre  
 9 subsection ] sous-section  
 9 subsection ] sous-section  
 10 subsubsection ] sous-sous-section  
 10 subsubsection ] sous-sous-section

18 I use git to manage some packages.  
19 I would like to add a pre-commit hook,  
20 to check if I have forgotten For now,  
21 I have a minimal pre-commit, which  
22 tests only the blank spaces at ends of  
23 lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R

## Chapter 2

### 1 Left chapter

2 I use git to manage some packages.  
3 I would like to add a pre-commit hook,  
4 to check if I have forgotten For now,  
5 I have a minimal pre-commit, which  
6 tests only the blank spaces at ends of  
7 lines, but not the forgotten..

#### 2.1 Left section

##### 2.1.1 Left subsection

###### Left subsubsection

11 I use git to manage some packages.  
12 I would like to add a pre-commit hook,  
13 to check if I have forgotten For now,  
14 I have a minimal pre-commit, which  
15 tests only the blank spaces at ends of  
16 lines, but not the forgotten.

#### 2.2 Left section

---

1 chapter ] chapitre  
1 chapter ] chapitre  
9 subsection ] sous-section  
9 subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10 subsubsection ] sous-sous-section

## Chapter 2

### Right chapter 1R

I use git to manage some packages. 2R  
I would like to add a pre-commit hook, 3R  
to check if I have forgotten For now, 4R  
I have a minimal pre-commit, which 5R  
tests only the blank spaces at ends of 6R  
lines, but not the forgotten.. 7R

#### 2.1 Right section 8R

##### 2.1.1 Right subsection 9R

###### Right subsubsection 10R

I use git to manage some packages. 11R  
I would like to add a pre-commit hook, 12R  
to check if I have forgotten For now, 13R  
I have a minimal pre-commit, which 14R  
tests only the blank spaces at ends of 15R  
lines, but not the forgotten. 16R

#### 2.2 Right section 17R

18 I use git to manage some packages.  
19 I would like to add a pre-commit hook,  
20 to check if I have forgotten For now,  
21 I have a minimal pre-commit, which  
22 tests only the blank spaces at ends of  
23 lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R